

-2-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A computer implemented method for enabling analysis of proposed changes to program statements in a source code files, comprising:
generating a data structure in a computer readable medium indicating a plurality of program statements in one or more source code files affected by one of a plurality of selected program statements to change in one or more source code files, wherein the data structure indicates a hierarchical relationship of the effect of program statements on one another resulting from the change changes to the selected program statements; and
processing the data structure in the computer readable medium to display information on the hierarchical relationship of the effect of the program statements on one another resulting from changes to the selected program statements.
2. (Currently Amended) The method of claim 1, wherein generating the data structure comprises;
generating an element object in the data structure for one selected program statement to change; and
generating element objects in the data structure for program statements that are directly or indirectly affected by the selected program statements, wherein the element object representing one program statement is defined as a child element object to the element object for one program statement whose output parameter comprises the an input parameter of the program statement represented by the child element object.

-3-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

3. (Original) The method of claim 2, wherein the element object is associated with an identifier of the source code file including the program statement for which the element object is generated and a line number where the program statement is included in the source code file.

4. (Original) The method of claim 3, wherein the identifier comprises a location of the source code file.

5. (Original) The method of claim 2, wherein the data structure is implemented as an extensible markup language (XML) file.

6. (Currently Amended) The method of claim 1, further comprising:
processing a database including information on program statements and program artifacts in a plurality of source code files; and
generating result metadata indicating program statements directly or indirectly affected by changes to the selected program statements, wherein the program statements indicated as affected by the proposed change changes are capable of comprising program statements in the plurality of the source code files, and wherein the data structure is generated from the metadata.

7. (Original) The method of claim 1, further comprising:
assigning at least one source code file to a project; and
importing the project to a software development tool to enable a programmer to process the program statements in the at least one source code file assigned to the project.

8. (Original) The method of claim 7, wherein a system analyst generates the data structure and assigns the source code files to projects that are imported to the programmer software development tools to enable the programmer to process the program statements indicated in the data structure as affected by the selected program statements to change.

-4-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

9. (Previously Presented) A computer implemented method for analyzing proposed changes to program statements in a source code file, comprising:
- receiving a data structure indicating a plurality of program statements affected by one of a plurality of selected program statements to change, wherein the data structure indicates a hierarchical relationship of the effect of program statements on one another;
 - displaying the hierarchical relationship of the program statements affected by one of the selected program statements;
 - receiving user input indicating selection of one of the displayed program statements; and
 - enabling editing of the selected program statement.
10. (Currently Amended) The method of claim 9, wherein displaying the hierarchical relationship of the program statements further comprises:
- displaying one program statement affected directly or indirectly by changes to one selected program statement; and
 - displaying one program statement as a child in the hierarchical relationship to the program statement whose output parameter comprises the an input parameter of the child program statement.
11. (Original) The method of claim 9, wherein receiving the selection of one of the displayed program statements comprises receiving user input directly selecting one displayed program statement in the displayed hierarchical relationship.
12. (Original) The method of claim 9, wherein the data structure is capable of indicating program statements affected by other program statements across source code files.
13. (Original) The method of claim 9, wherein enabling editing of the selected displayed program statement further comprises:

-5-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

determining one of a plurality of source code files capable of including the selected displayed program statement;
accessing the determined source code file; and
displaying in an editing mode a plurality of program statements from the determined source code file including the selected displayed program statement.

14. (Original) The method of claim 13, further comprising:
displaying information on proposed changes to the program statement affecting the selected displayed program statement.

15. (Original) The method of claim 13, wherein the hierarchical relationship of the program statements are displayed in a first pane on a graphical user interface panel and wherein the plurality of program statements displayed in editing mode are displayed in a second pane on the graphical user interface.

16. (Original) The method of claim 15, wherein a scrolling feature is used to view the program statements in the hierarchical relationship in the first pane.

17. (Currently Amended) A system for enabling analysis of proposed changes to program statements in a source code files, comprising:
a computer readable medium;
a display monitor;
means for generating a data structure in the computer readable medium indicating a plurality of program statements in one or more source code files affected by one of a plurality of selected program statements to change in one or more source code files, wherein the data structure indicates a hierarchical relationship of the effect of program statements on one another resulting from ~~the change~~ changes to the selected program statements; and

-6-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

means for processing the data structure to display information on the display monitor concerning the hierarchical relationship of the effect of the program statements on one another resulting from changes to the selected program statements.

18. (Currently Amended) The system of claim 17, wherein the means for generating the data structure performs:

generating an element object in the data structure for one selected program statement to change; and

generating element objects in the data structure for program statements that are directly or indirectly affected by the selected program statements, wherein the element object representing one program statement is defined as a child element object to the element object for one program statement whose output parameter comprises the an input parameter of the program statement represented by the child element object.

19. (Original) The system of claim 18, wherein the element object is associated with an identifier of the source code file including the program statement for which the element object is generated and a line number where the program statement is included in the source code file.

20. (Original) The system of claim 19, wherein the identifier comprises a location of the source code file.

21. (Original) The system of claim 18, wherein the data structure is implemented as an extensible markup language (XML) file.

22. (Currently Amended) The system of claim 17, further comprising:
a storage medium;
a database stored in the storage medium;

-7-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

means for processing the database including information on program statements and program artifacts in a plurality of source code files; and

means for generating result metadata indicating program statements directly or indirectly affected by changes to the selected program statements, wherein the program statements indicated as affected by the proposed change changes are capable of comprising program statements in the plurality of the source code files, and wherein the data structure is generated from the metadata.

23. (Original) The system of claim 17, further comprising:
means for assigning at least one source code file to a project; and
means for importing the project to a software development tool to enable a programmer to process the program statements in the at least one source code file assigned to the project.

24. (Original) The system of claim 23, wherein a system analyst generates the data structure and assigns the source code files to projects that are imported to programmer software development tools to process the program statements indicated in the data structure as affected by the selected program statements to change.

25. (Original) A system for analyzing proposed changes to program statements in a source code file, comprising:
means for receiving a data structure indicating a plurality of program statements affected by one of a plurality of selected program statements to change, wherein the data structure indicates a hierarchical relationship of the effect of program statements on one another;
means for displaying the hierarchical relationship of the program statements affected by one of the selected program statements;
means for receiving user input indicating selection of one of the displayed program statements; and
means for enabling editing of the selected program statement.

-8-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

26. (Currently Amended) The system of claim 25, wherein the means for displaying the hierarchical relationship of the program statements further performs:

displaying one program statement affected directly or indirectly by changes to one selected program statement; and

displaying one program statement as a child in the hierarchical relationship to the program statement whose output parameter comprises the an input parameter of the child program statement.

27. (Original) The system of claim 25, wherein the means for receiving the selection of one of the displayed program statements receives user input directly selecting one displayed program statement in the displayed hierarchical relationship.

28. (Original) The system of claim 25, wherein the data structure is capable of indicating program statements affected by other program statements across source code files.

29. (Original) The system of claim 25, wherein the means for enabling editing of the selected displayed program statement further performs:

determining one of a plurality of source code files capable of including the selected displayed program statement;

accessing the determined source code file; and

displaying in an editing mode a plurality of program statements from the determined source code file including the selected displayed program statement.

30. (Original) The system of claim 29, further comprising:

means for displaying information on proposed changes to the program statement affecting the selected displayed program statement.

-9-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

31. (Original) The system of claim 29, wherein the hierarchical relationship of the program statements are displayed in a first pane on a graphical user interface panel and wherein the plurality of program statements displayed in editing mode are displayed in a second pane on the graphical user interface.

32. (Original) The system of claim 31, wherein a scrolling feature is used to view the program statements in the hierarchical relationship in the first pane.

33. (Currently Amended) An article of manufacture including code executed by a computer for enabling analysis of proposed changes to program statements in [[a]] source code files, wherein the code is executed to perform operations ~~comprising~~, the operations comprising:
generating a data structure indicating a plurality of program statements in one or more source code files affected by one of a plurality of selected program statements to change in one or more source code files, wherein the data structure indicates a hierarchical relationship of the effect of program statements on one another resulting from the change changes to the selected program statements; and
processing the data structure to display information on the hierarchical relationship of the effect of the program statements on one another resulting from changes to the selected program statements.

34. (Currently Amended) The article of manufacture of claim 33, wherein generating the data structure comprises;
generating an element object in the data structure for one selected program statement to change; and
generating element objects in the data structure for program statements that are directly or indirectly affected by the selected program statements, wherein the element object representing one program statement is defined as a child element object to the element object for one program

-10-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

statement whose output parameter comprises the an input parameter of the program statement represented by the child element object.

35. (Original) The article of manufacture of claim 34, wherein the element object is associated with an identifier of the source code file including the program statement for which the element object is generated and a line number where the program statement is included in the source code file.

36. (Original) The article of manufacture of claim 35, wherein the identifier comprises a location of the source code file.

37. (Original) The article of manufacture of claim 34, wherein the data structure is implemented as an extensible markup language (XML) file.

38. (Previously Presented) The article of manufacture of claim 33, further comprising:
processing a database including information on all program statements and program artifacts in a plurality of source code files; and
generating result metadata indicating program statements directly or indirectly affected by changes to the selected program statements, wherein the program statements indicated as affected by the proposed change are capable of comprising program statements in the plurality of the source code files, and wherein the data structure is generated from the metadata.

39. (Original) The article of manufacture of claim 33, further comprising:
assigning at least one source code file to a project; and
importing the project to a software development tool to enable a programmer to process the program statements in the at least one source code file assigned to the project.

-11-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

40. (Original) The article of manufacture of claim 39, wherein a system analyst generates the data structure and assigns the source code files to projects that are imported to the programmer software development tools to enable the programmer to process the program statements indicated in the data structure as affected by the selected program statements to change.

41. (Previously Presented) An article of manufacture including code executed by a computer for analyzing proposed changes to program statements in a source code file, wherein the code is executed to perform operations, the operations comprising:

- receiving a data structure indicating a plurality of program statements affected by one of a plurality of selected program statements to change, wherein the data structure indicates a hierarchical relationship of the effect of program statements on one another;
- displaying the hierarchical relationship of the program statements affected by one of the selected program statements;
- receiving user input indicating selection of one of the displayed program statements; and
- enabling editing of the selected program statement.

42. (Currently Amended) The article of manufacture of claim 41, wherein displaying the hierarchical relationship of the program statements further comprises:

- displaying one program statement affected directly or indirectly by changes to one selected program statement; and
- displaying one program statement as a child in the hierarchical relationship to the program statement whose output parameter comprises the an input parameter of the child program statement.

43. (Original) The article of manufacture of claim 41, wherein receiving the selection of one of the displayed program statements comprises receiving user input directly selecting one displayed program statement in the displayed hierarchical relationship.

-12-

Serial No. 10/003,950
Docket No. SVL920010016US1
Firm No. 0054.0017

44. (Original) The article of manufacture of claim 41, wherein the data structure is capable of indicating program statements affected by other program statements across source code files.

45. (Original) The article of manufacture of claim 41, wherein enabling editing of the selected displayed program statement further comprises:

determining one of a plurality of source code files capable of including the selected displayed program statement;

accessing the determined source code file; and

displaying in an editing mode a plurality of program statements from the determined source code file including the selected displayed program statement.

46. (Original) The article of manufacture of claim 45, further comprising:

displaying information on proposed changes to the program statement affecting the selected displayed program statement.

47. (Original) The article of manufacture of claim 45, wherein the hierarchical relationship of the program statements are displayed in a first pane on a graphical user interface panel and wherein the plurality of program statements displayed in editing mode are displayed in a second pane on the graphical user interface.

48. (Original) The article of manufacture of claim 47, wherein a scrolling feature is used to view the program statements in the hierarchical relationship in the first pane.